Pain, 64 (1996) 617–620
© 1996 Elsevier Science B.V. All rights reserved 0304-3959/96/$15.00

Author Index to Volume 64 (1996)

Amann, R., Schuligoi, R., Herzeg, G. and Donnerer, J.
Intraplantar injection of nerve growth factor into the rat hind paw: local edema and effects on thermal nociceptive threshold (64) 323
Arendt-Nielsen, L., Graven-Nielsen, T., Svarrer, H. and Svensson, P.
The influence of low back pain on muscle activity and coordination during gait: a clinical and experimental study (64) 231
Arendt-Nielsen, L., see Felsby, S. (64) 283
Arendt-Nielsen, L., see Petersen-Felix, S. (64) 277
Arendt-Nielsen, L., see Svensson, P. (64) 241
Arndt, J.O., see Kindgen-Milles, D. (64) 139
Asada, H., Yamaguchi, Y., Tsunoda, S. and Fukuda, Y.
The role of spinal cord activation before neurectomy in the development of autotomy (64) 161
Augustiny, K.F., see Radanov, B.P. (64) 429
Avelino, A., see Cruz, F. (64) 553

Backonja, M.-M. and Gosnell, B.A.
Analgesia and oral opioid consumption: strengths and shortcomings of methods (64) 399
Bak, P., see Petersen-Felix, S. (64) 277
Banning, A.-M., see Sjøgren, P. (64) 519
Begré, S., see Radanov, B.P. (64) 429
Benedetti, F.
The opposite effects of the opiate antagonist naloxone and the cholecystokinin antagonist proglumide on placebo analgesia (64) 535
Bereiter, D.A., Bereiter, D.F. and Hathaway, C.B.
The NMDA receptor antagonist MK-801 reduces Fos-like immunoreactivity in central trigeminal neurons and blocks select endocrine and autonomic responses to corneal stimulation in the rat (64) 179
Bereiter, D.F., see Bereiter, D.A. (64) 179
Besson, J.-M., see Buritova, J. (64) 559
Beydoun, A., see Casey, K.L. (64) 485
Bjerring, P., see Petersen-Felix, S. (64) 277
Blood, D.K., see Glusman, M. (64) 477
Bodnar, R.J., see Spinella, M. (64) 545
Bohyn, P., see Devulder, J. (64) 589
Boivie, J., see Casey, K.L. (64) 485
Bolnot-Delmas, D., Buch, J.-P., Zeidler, H. and Dougados, M.
Ro 15-8081 in osteoarthritis of hip and knee: a double-blind placebo-controlled multicentre dose-ranging study on analgesia (64) 99
Bonicalzi, V., see Canavero, S. (64) 394
Bonnet, F., see Gentili, M. (64) 593
Booker, K., see Spanswick, C. (64) 207
Booth, J.C., see McGrath, P.A. (64) 435
Borgbjerg, F.M., Nielsen, K. and Franks, J.
Experimental pain stimulates respiration and attenuates morphine-induced respiratory depression: a controlled study in human volunteers (64) 123
Bradbeer, M., see Chakour, M.C. (64) 143
Brändli, P., Löffler, B.-M., Breu, V., Osterwalder, R., Maire, J.-P. and Clozel, M.
Role of endothelin in mediating neurogenic plasma extravasation in rat dura mater (64) 315
Breivik, H., see Stubhaug, A. (64) 403
Brennan, T.J., Vandermeulen, E.P. and Gebhart, G.F.
Characterization of a rat model of incisional pain (64) 493
Breu, V., see Brändli, P. (64) 315
Brodie, E.E., see Niven, C.A. (64) 387
Buch, J.-P., see Bolnot-Delmas, D. (64) 99
Buggy, D., see MacEvilly, M. (64) 405
Buritova, J., Honoré, P., Chapman, V. and Besson, J.-M.
Enhanced effects of co-administered dexamethasone and diclofenac on inflammatory pain processing and associated spinal c-Fos expression in the rat (64) 559
Burns, J.W., Johnson, B.J., Mahoney, N., Devine, J. and Pawl, R.
Anger management style, hostility and spouse responses: gender differences in predictors of adjustment among chronic pain patients (64) 445
Burns, K., see Glusman, M. (64) 477
Busquets, C., see Genis, D. (64) 404

Campbell, J.N., see Raja, S.N. (64) 197
Canavero, S., Bonicalzi, V. and Castellano, G.
Two in one: the genesis of central pain (64) 394
Carroll, D., see McQuay, H. (64) 331
Casey, K.L., Beydoun, A., Boivie, J., Sjolund, B., Holmgren, H., Leijon, G., Morrow, T.J. and Rosen, I.
Laser-evoked cerebral potentials and sensory function in patients with central pain (64) 485
Casey, K.L., see Pastoriza, L.N. (64) 11
Castellano, G., see Canavero, S. (64) 394
Castille, F., see Devulder, J. (64) 589
Chakour, M.C., Gibson, S.J., Bradbeer, M. and Helme, R.D.
The effect of age on Aδ- and C-fibre thermal pain perception (64) 143
Chapman, V., see Buritova, J. (64) 559
Chudler, E.H., see Dong, W.K. (64) 579
Chung, J.M., see Yoon, Y.W. (64) 27
Clark, W.C., see Glusman, M. (64) 477
Clozel, M., see Brändli, P. (64) 315
Cohen, M.L. and Quintner, J.L.
Comments on Gunn PAIN, 60 (1995) 349–350 (64) 393
Coimbra, A., see Cruz, F. (64) 553
Collett, B., see Morgan, B. (64) 265
Cooper, M.L., see Spinella, M. (64) 545
Cordingley, G.E., see Lipchik, G.L. (64) 467
Coromilas, J., see Glusman, M. (64) 477
Cruz, F., Avelino, A. and Coimbra, A.
Desensitization follows excitation of bladder primary afferents by intravesical capsaicin, as shown by c-*fos* activation in the rat spinal cord (64) 553

Dawson-Basoa, M.E. and Gintzler, A.R.
Estrogen and progesterone activate spinal kappa-opiate receptor analgesic mechanisms (64) 169
DeGood, D.E. and Kiernan, B.
Perception of fault in patients with chronic pain (64) 153
De Laat, M., see Devulder, J. (64) 589
Devine, J., see Burns, J.W. (64) 445
Devulder, J., Bohyn, P., Castille, F., De Laat, M. and Rolly, G.
A case of uncommon withdrawal symptoms after a short period of spinal morphine administration (64) 589

Diefenbach, C., see Grond, S. (64) 107
Dong, W.K., Hayashi, T., Roberts, V.J., Fusco, B.M. and Chudler, E.H.
Behavioral outcome of posterior parietal cortex injury in the monkey (64) 579
Donner, B., Zenz, M., Tryba, M. and Strumpf, M.
Direct conversion from oral morphine to transdermal fentanyl: a multicenter study in patients with cancer pain (64) 527
Donnerer, J., see Amann, R. (64) 323
Dougados, M., see Bolnot-Delmas, D. (64) 99

Eija, K., Tiina, T. and Pertti J, N.
Amitriptyline effectively relieves neuropathic pain following treatment of breast cancer (64) 293
Ekholm, J., see Kosek, E. (64) 415
Ekholm, J., see Kosek, E. (64) 603
Ekholm, J., see Kosek, E. (64) 605
Eliav, E., see Tal, M. (64) 511

Felsby, S., Nielsen, J., Arendt-Nielsen, L. and Jensen, T.S.
NMDA receptor blockade in chronic neuropathic pain: a comparison of ketamine and magnesium chloride (64) 283
Fields, H.L. and Heinricher, M.M.
Comments on Thurston and Randich (64) 396
Finlay, D.B., see Morgan, B. (64) 265
Finley, G.A., McGrath, P.J., Forward, S.P., McNeill, G. and Fitzgerald, P.
Parents' management of children's pain following 'minor' surgery (64) 83
Fischer, M., see Petersen-Felix, S. (64) 277
Fitzgerald, P., see Finley, G.A. (64) 83
Forward, S.P., see Finley, G.A. (64) 83
France, C.R., see Lipchik, G.L. (64) 467
Franks, J., see Borgbjerg, F.M. (64) 123
Friesen, E., see Lander, J. (64) 89
Fukuda, Y., see Asada, H. (64) 161
Fusco, B.M., see Dong, W.K. (64) 579

Gebhart, G.F., see Brennan, T.J. (64) 493
Genis, D. and Busquets, C.
Comments on Pentland and Donald (64) 404
Gentili, M., Juhel, A. and Bonnet, F.
Peripheral analgesic effect of intra-articular clonidine (64) 593
Gibson, M., see Woodhouse, A. (64) 115
Gibson, M.C., see McGrath, P.A. (64) 435
Gibson, S.J., see Chakour, M.C. (64) 143
Gillette, R.G., see Kramis, R.C. (64) 1
Gintzler, A.R., see Dawson-Basoa, M.E. (64) 169
Glusman, M., Coromilas, J., Clark, W.C., Janal, M.N., Blood, D.K., Kuhl, J.P. and Burns, K.
Pain sensitivity in silent myocardial ischemia (64) 477
Glynn, C. and O'Sullivan, K.
A double-blind randomised comparison of the effects of epidural clonidine, lignocaine and the combination of clonidine and lignocaine in patients with chronic pain (64) 337
Goris, M.D., Ph.D., R.J.A., see Veldman, P.H.J.M. (64) 463
Gosnell, B.A., see Backonja, M.-M. (64) 399
Graven-Nielsen, T., see Arendt-Nielsen, L. (64) 231
Grimstad, J., see Stubhaug, A. (64) 403
Grond, S., Zech, D., Diefenbach, C., Radbruch, L. and Lehmann, K.A.
Assessment of cancer pain: a prospective evaluation in 2266 cancer patients referred to a pain service (64) 107
Gybels, J.M., see Kupers, R.C. (64) 400

Hägermark, Ö., see Hsieh, J.-C. (64) 303
Hansson, P., see Kosek, E. (64) 415
Hansson, P., see Kosek, E. (64) 605
Harth, M., see White, K.P. (64) 211
Hathaway, C.B., see Bereiter, D.A. (64) 179
Hayashi, T., see Dong, W.K. (64) 579
Heinricher, M.M., see Fields, H.L. (64) 396
Helme, R.D., see Chakour, M.C. (64) 143
Herzeg, G., see Amann, R. (64) 323
Hobbes, A.F.T., see Woodhouse, A. (64) 115
Hodgins, M., see Lander, J. (64) 89
Holmgren, H., see Casey, K.L. (64) 485
Holroyd, K.A., see Lipchik, G.L. (64) 467
Honoré, P., see Buritova, J. (64) 559
Houe, L., see Svensson, P. (64) 241
Hsieh, J.-C., Ståhle-Bäckdahl, M., Hägermark, Ö., Stone-Elander, S., Rosenquist, G. and Ingvar, M.
Traumatic nociceptive pain activates the hypothalamus and the periaqueductal gray: a positron emission tomography study (64) 303

Ingvar, M., see Hsieh, J.-C. (64) 303
Ishikawa, K., see Kawamata, M. (64) 597
Ishitani, K., see Kawamata, M. (64) 597

Janal, M.N.
Concerning the homology of painful experiences and pain descriptors: a multidimensional scaling analysis (64) 373
Janal, M.N., see Glusman, M. (64) 477
Jarvis, D.A., see Macintyre, P.E. (64) 357
Jensen, M., see Sjøgren, P. (64) 519
Jensen, N.-H., see Sjøgren, P. (64) 519
Jensen, R.
Mechanisms of spontaneous tension-type headaches: an analysis of tenderness, pain thresholds and EMG (64) 251
Jensen, T.S., see Felsby, S. (64) 283
Jett, M.F. and Michelson, S.
The formalin test in rat: validation of an automated system (64) 19
Johnson, B.J., see Burns, J.W. (64) 445
Johnson, T., see Spanswick, C. (64) 207
Jones, A.R., see Morgan, B. (64) 265
Juhel, A., see Gentili, M. (64) 593

Kajander, K.C., see Xu, J. (64) 503
Kantner-Rumplmair, W., see Ogon, M. (64) 425
Kawamata, M., Ishitani, K., Ishikawa, K., Sasaki, H., Ota, K., Omote, K. and Namiki, A.
Comparison between celiac plexus block and morphine treatment on quality of life in patients with pancreatic cancer pain (64) 597
Kiernan, B., see DeGood, D.E. (64) 153
Kindgen-Milles, D. and Arndt, J.O.
Nitric oxide as a chemical link in the generation of pain from veins in humans (64) 139
Klee, M., see Sjøgren, P. (64) 519
Kosek, E. and Ekholm, J.
Modulation of pressure pain thresholds during and following isometric contraction (64) 603
Kosek, E., Ekholm, J. and Hansson, P.
Increased pressure pain sensibility in fibromyalgia patients is located deep to the skin but not restricted to muscle tissue (64) 605
Kosek, E., Ekholm, J. and Hansson, P.
Modulation of pressure pain thresholds during and following isometric contraction in patients with fibromyalgia and in healthy controls (64) 415
Kramis, R.C., Roberts, W.J. and Gillette, R.G.
Post-sympathectomy neuralgia: hypotheses on peripheral and central neuronal mechanisms (64) 1

Kreysel, H.W., see Steen, K.H. (64) 71
Krismer, M., see Ogon, M. (64) 425
Kruger, L., see Mosconi, T. (64) 37
Kuhl, J.P., see Glusman, M. (64) 477
Kupers, R.C. and Gybels, J.M.
On 'strengths and shortcomings': reply to the letter by Backonja and Gosnell (64) 400
Kvaal, S.A., see Lipchik, G.L. (64) 467

Lampe, A., see Ogon, M. (64) 425
Lander, J., Hodgins, M., Nazarali, S., McTavish, J., Ouellette, J. and Friesen, E.
Determinants of success and failure of EMLA (64) 89
Lane, S., see Spanswick, C. (64) 207
Lehmann, K.A., see Grond, S. (64) 107
Leijon, G., see Casey, K.L. (64) 485
Linssen, A.C.G., see Ter Kuile, M.M. (64) 257
Lipchik, G.L., Holroyd, K.A., France, C.R., Kvaal, S.A., Segal, D., Cordingley, G.E., Rokicki, L.A. and McCool, H.R.
Central and peripheral mechanisms in chronic tension-type headache (64) 467
Liu, L., Wang, Y. and Simon, S.A.
Capsaicin activated currents in rat dorsal root ganglion cells (64) 191
Löffler, B.-M., see Brändli, P. (64) 315

MacEvilly, M. and Buggy, D.
Back pain and pregnancy: a review (64) 405
Macintyre, P.E. and Jarvis, D.A.
Age is the best predictor of postoperative morphine requirements (64) 357
Maekawa, K., Minami, M., Masuda, T. and Satoh, M.
Expression of μ- and κ-, but not δ-, opioid receptor mRNAs is enhanced in the spinal dorsal horn of the arthritic rats (64) 365
Mahoney, N., see Burns, J.W. (64) 445
Mailis, A.
Compulsive targeted self-injurious behaviour in humans with neuropathic pain: a counterpart of animal autotomy? Four case reports and literature review (64) 569
Maire, J.-P., see Brändli, P. (64) 315
Masuda, T., see Maekawa, K. (64) 365
Mather, L.E., see Woodhouse, A. (64) 115
McCool, H.R., see Lipchik, G.L. (64) 467
McGrath, P.A., Seifert, C.E., Speechley, K.N., Booth, J.C., Stitt, L. and Gibson, M.C.
A new analogue scale for assessing children's pain: an initial validation study (64) 435
McGrath, P.J., see Finley, G.A. (64) 83
McMahon, S.B., see Ward, L. (64) 129
McNeill, G., see Finley, G.A. (64) 83
McQuay, H., Carroll, D. and Moore, A.
Variation in the placebo effect in randomised controlled trials of analgesics: all is as blind as it seems (64) 331
McTavish, J., see Lander, J. (64) 89
Meleka, S., see Raja, S.N. (64) 197
Merskey, H.
Pain specialists and pain terms (64) 205
Michelson, S., see Jett, M.F. (64) 19
Millard, R.W. and Porzelius, J.
Does invasive medical treatment confound the assessment of out-patient cognitive-behavioral therapy for chronic non-malignant pain? (64) 206
Minami, M., see Maekawa, K. (64) 365
Moore, A., see McQuay, H. (64) 331
Moore, A.R., see Willoughby, D.A. (64) 205
Morgan, B., Jones, A.R., Mulcahy, K.A., Finlay, D.B. and Collett, B.
Transcutaneous electric nerve stimulation (TENS) during distension shoulder arthrography: a controlled trial (64) 265
Morrow, T.J., see Casey, K.L. (64) 485
Morrow, T.J., see Pastoriza, L.N. (64) 11
Mosconi, T. and Kruger, L.
Fixed-diameter polyethylene cuffs applied to the rat sciatic nerve induce a painful neuropathy: ultrastructural morphometric analysis of axonal alterations (64) 37
Mulcahy, K.A., see Morgan, B. (64) 265

Na, H.S., see Yoon, Y.W. (64) 27
Nagao, M., see Umino, M. (64) 269
Nagy, I. and Woolf, C.J.
Lignocaine selectively reduces C fibre-evoked neuronal activity in rat spinal cord in vitro by decreasing *N*-methyl-D-aspartate and neurokinin receptor-mediated post-synaptic depolarizations; implications for the development of novel centrally acting analgesics (64) 59
Namiki, A., see Kawamata, M. (64) 597
Nazarali, S., see Lander, J. (64) 89
Nielsen, J., see Felsby, S. (64) 283
Nielsen, K., see Borgbjerg, F.M. (64) 123
Niven, C.A. and Brodie, E.E.
Memory for labor pain: context and quality (64) 387
Norris, M.P., see Snow-Turek, A.L. (64) 455

Ogon, M., Krismer, M., Söllner, W., Kantner-Rumplmair, W. and Lampe, A.
Chronic low back pain measurement with visual analogue scales in different settings (64) 425
Ohwatari, T., see Umino, M. (64) 269
Omote, K., see Kawamata, M. (64) 597
Osterwalder, R., see Brändli, P. (64) 315
O'Sullivan, K., see Glynn, C. (64) 337
Ota, K., see Kawamata, M. (64) 597
Ouellette, J., see Lander, J. (64) 89

Pastoriza, L.N., Morrow, T.J. and Casey, K.L.
Medial frontal cortex lesions selectively attenuate the hot plate response: possible nocifensive apraxia in the rat (64) 11
Pawl, R., see Burns, J.W. (64) 445
Pertti J, N., see Eija, K. (64) 293
Petersen-Felix, S., Arendt-Nielsen, L., Bak, P., Fischer, M., Bjerring, P. and Zbinden, A.M.
The effects of isoflurane on repeated nociceptive stimuli (central temporal summation) (64) 277
Pilowsky, I. and Spence, N.
Reply to C. Spanswick, T. Johnson and K. Booker (64) 206
Pilowsky, I. and Spence, N.
Reply to Millard and Porzelius (64) 207
Pollock, C.H., see Xu, J. (64) 503
Porzelius, J., see Millard, R.W. (64) 206
Puig, S. and Sorkin, L.S.
Formalin-evoked activity in identified primary afferent fibers: systemic lidocaine suppresses phase-2 activity (64) 345

Quintner, J.L., see Cohen, M.L. (64) 393

Radanov, B.P., Begré, S., Sturzenegger, M. and Augustiny, K.F.
Course of psychological variables in whiplash injury – a 2-year follow-up with age, gender and education pair-matched patients (64) 429
Radbruch, L., see Grond, S. (64) 107
Raja, S.N., Turnquist, J.L., Meleka, S. and Campbell, J.N.
Monitoring adequacy of α-adrenoceptor blockade following systemic phentolamine administration (64) 197
Randich, A., see Thurston, C. (64) 397
Reeh, P.W., see Steen, K.H. (64) 71
Roberts, V.J., see Dong, W.K. (64) 579

Roberts, W.J., see Kramis, R.C. (64) 1
Rokicki, L.A., see Lipchik, G.L. (64) 467
Rolly, G., see Devulder, J. (64) 589
Rosen, I., see Casey, K.L. (64) 485
Rosenquist, G., see Hsieh, J.-C. (64) 303

Sasaki, H., see Kawamata, M. (64) 597
Satoh, M., see Maekawa, K. (64) 365
Schuligoi, R., see Amann, R. (64) 323
Schwarzwald, J., see Weisenberg, M. (64) 379
Seed, M.P., see Willoughby, D.A. (64) 205
Segal, D., see Lipchik, G.L. (64) 467
Seifert, C.E., see McGrath, P.A. (64) 435
Simon, S.A., see Liu, L. (64) 191
Sjøgren, P., Banning, A.-M., Jensen, N.-H., Jensen, M., Klee, M. and Vainio, A.
Management of cancer pain in Denmark: a nationwide questionnaire survey (64) 519
Sjolund, B., see Casey, K.L. (64) 485
Snow-Turek, A.L., Norris, M.P. and Tan, G.
Active and passive coping strategies in chronic pain patients (64) 455
Söllner, W., see Ogon, M. (64) 425
Sorkin, L.S., see Puig, S. (64) 345
Spanswick, C., Johnson, T., Booker, K. and Lane, S.
Comments on Pilowskey et al. (64) 207
Speechley, K.N., see McGrath, P.A. (64) 435
Spence, N., see Pilowsky, I. (64) 206
Spence, N., see Pilowsky, I. (64) 207
Spinella, M., Cooper, M.L. and Bodnar, R.J.
Excitatory amino acid antagonists in the rostral ventromedial medulla inhibit mesencephalic morphine analgesia in rats (64) 545
Spinhoven, P., see Ter Kuile, M.M. (64) 257
Ståhle-Bäckdahl, M., see Hsieh, J.-C. (64) 303
Steen, K.H., Reeh, P.W. and Kreysel, H.W.
Dose-dependent competitive block by topical acetylsalicylic and salicylic acid of low pH-induced cutaneous pain (64) 71
Stitt, L., see McGrath, P.A. (64) 435
Stone-Elander, S., see Hsieh, J.-C. (64) 303
Strumpf, M., see Donner, B. (64) 527
Stubhaug, A., Grimstad, J. and Breivik, H.
Reply to P.E. Vielvoye-Kerkmeer (64) 403
Sturzenegger, M., see Radanov, B.P. (64) 429
Svarrer, H., see Arendt-Nielsen, L. (64) 231
Svensson, P., Arendt-Nielsen, L. and Houe, L.
Sensory-motor interactions of human experimental unilateral jaw muscle pain: a quantitative analysis (64) 241
Svensson, P., see Arendt-Nielsen, L. (64) 231

Tal, M. and Eliav, E.
Abnormal discharge originates at the site of nerve injury in experimental constriction neuropathy (CCI) in the rat (64) 511
Tan, G., see Snow-Turek, A.L. (64) 455
Tepper, I., see Weisenberg, M. (64) 379
Ter Kuile, M.M., Spinhoven, P., Linssen, A.C.G. and Van Houwelingen, H.C.
Cognitive coping and appraisal processes in the treatment of chronic headaches (64) 257
Thurston, C. and Randich, A.
Reply to Fields & Heinricher (64) 397
Tiina, T., see Eija, K. (64) 293
Tryba, M., see Donner, B. (64) 527
Tsunoda, S., see Asada, H. (64) 161
Turnquist, J.L., see Raja, S.N. (64) 197

Umino, M., Ohwatari, T. and Nagao, M.
A new method of recording somatosensory evoked potentials by randomized electrical tooth stimulation with 6 levels of intensity (64) 269

Vainio, A., see Sjøgren, P. (64) 519
Vandermeulen, E.P., see Brennan, T.J. (64) 493
Van Houwelingen, H.C., see Ter Kuile, M.M. (64) 257
Vasseljen, Jr., O. and Westgaard, R.H.
Can stress-related shoulder and neck pain develop independently of muscle activity? (64) 221
Veldman, P.H.J.M. and Goris, M.D., Ph.D., R.J.A.
Multiple reflex sympathetic dystrophy. Which patients are at risk for developing a recurrence of reflex sympathetic dystrophy in the same or another limb (64) 463
Vielvoye-Kerkmeer, A.P.E.
Comments on Stubhaug, Grimstad and Breivik, *PAIN*, 62 (1995) 111–118 (64) 402

Wang, Y., see Liu, L. (64) 191
Ward, L., Wright, E. and McMahon, S.B.
A comparison of the effects of noxious and innocuous counter-stimuli on experimentally induced itch and pain (64) 129
Weisenberg, M., Schwarzwald, J. and Tepper, I.
The influence of warning signal timing and cognitive preparation on the aversiveness of cold-pressor pain (64) 379
Westgaard, R.H., see Vasseljen, Jr., O. (64) 221
White, K.P. and Harth, M.
An analytical review of 24 controlled clinical trials for fibromyalgia syndrome (FMS) (64) 211
Willoughby, D.A., Moore, A.R. and Seed, M.P.
Additional comments on non-steroidal anti-inflammatory drugs and topical analgesia (PAIN, 61 (1995) 494–495) (64) 205
Woodhouse, A., Hobbes, A.F.T., Mather, L.E. and Gibson, M.
A comparison of morphine, pethidine and fentanyl in the post-surgical patient-controlled analgesia environment (64) 115
Woolf, C.J., see Nagy, I. (64) 59
Wright, E., see Ward, L. (64) 129

Xu, J., Pollock, C.H. and Kajander, K.C.
Chromic gut suture reduces calcitonin-gene-related peptide and substance P levels in the spinal cord following chronic constriction injury in the rat (64) 503

Yamaguchi, Y., see Asada, H. (64) 161
Yoon, Y.W., Na, H.S. and Chung, J.M.
Contributions of injured and intact afferents to neuropathic pain in an experimental rat model (64) 27

Zbinden, A.M., see Petersen-Felix, S. (64) 277
Zech, D., see Grond, S. (64) 107
Zeidler, H., see Bolnot-Delmas, D. (64) 99
Zenz, M., see Donner, B. (64) 527